Plant Pathology

A record of current work on plant diseases and pests

INDEX

VOLUME 26, 1977

Author: *pages* iii-iv

Subject: *pages* v-viii

LONDON: HER MAJESTY'S STATIONERY OFFICE

AUTHOR INDEX

AHMED, A. H. M. and TRIBE, H. T. Biological Control of White Rot of Onion (*Sclerotium cepivorum*) by *Coniothyrium minitans*, 75–8.

ALFORD, D. V. (*joint author*), see Way, M. J., 1–7.

BANT, J. H. (*joint author*), see Fletcher, J. T., 49–57.

BARTLETT, P. W. Colorado Beetles Reported in England, Wales and Scotland, 1976, 35–9.

BATEMAN, G. L. Effects of Seed Treatments on *Septoria nodorum* Infection of Winter Wheat, 127–34.

BATESON, MARY (*joint author*), see Jones, G. Elis, 96–7.

BROWN, LINDA (*joint author*), see Russell, P. E., 47.

BYFORD, W. J. Effect of Non-mercurial Fungicidal Seed Treatments on the Emergence of Sugar Beet Seedlings, 39–43.

CAMMELL, M. E. (*joint author*), see Way, M. J., 1–7.

CATTON, F. W. (*joint author*), see Jones, G. Elis, 96–7.

CLARKSON, J. D. S. and GRIFFIN, M. J. Sclerotia of *Rhizoctonia solani* in Wheat Stems with Sharp Eyespot, 98.

COLLINS, B. (*joint author*), see Fletcher, J. T., 49–57.

COOK, R. J. Effect of Timed Fungicide Sprays on Yield of Winter Wheat in Relation to *Septoria* Infection Periods, 30–4.

COPELAND, R. B. and LOGAN, C. Observations on Potato Disease Incidence Following Soil Application of a Granular Fungicide-Bactericide at Planting, 175–9.

DEVONSHIRE, A. L., FOSTER, G. N. and SAWICKI, R. M. Peach-potato Aphid, *Myzus persicae* (Sulz.), Resistant to Organophosphorus and Carbamate Insecticides on Potatoes in Scotland, 60–2.

EXLEY, JANET K. (*joint author*), see Wilkins, P. W., 99.

FLETCHER, J. T., HARRIS, PATRICIA A., BANT, J. H. and COLLINS, B. Survey of Diseases of Glasshouse Tomato Crops in Yorkshire and Lancashire in 1974 and 1975, 49–57.

FLETCHER, K. E. (*joint author*), see Way, M. J., 1–7.

FOSTER, G. N. (*joint author*), see Devonshire, A. L., 60–2.

FOSTER, G. N. Problems in Cucumber Crops caused by Slugs, Cuckoo-spit Insect, Mushroom Cecid, Hairy Fungus Beetle and the House Mouse, 100–1.

FULLER, J. M., HOWARD, H. W. and STONE, A. R. A New Pathotype of the Potato Cyst Nematode *Globodera pallida*, 135–8.

GOULD, H. J. (*joint author*), see Way, M. J., 1–7.

GOULD, H. J. Biological Control of Glasshouse Whitefly and Red Spider Mite on Tomatoes and Cucumbers in England and Wales, 1975–76, 57–60.

GOULD, H. J. (*joint author*), see Stone, L. E. W., 109–11.

GOULD, H. J. and GRAHAM, C. W. The Incidence of *Aphis fabae* Scop. on Spring-sown Field Beans in South-east England and the Efficiency of Control Measures, 189–94.

GRAHAM, C. W. (*joint author*), see Way, M. J., 1–7.

GRAHAM, C. W. (*joint author*), see Gould, H. J., 189–94.

GRIFFIN, M. J. (*joint author*), see Clarkson, J. D. S., 98.

GRIFFIN, M. J. and SIMKIN, M. B. *Mycocentrospora acerina* on Outdoor Lettuce, 147–8.

GRIFFIN, M. J. and JONES, O. W. *Phytophthora porri* on Autumn-sown Salad Onions, 149–50.

HALSTEAD, A. J. Leaf Mining of Hardy Cyclamen by *Orthochaetes setiger* (Beck) (Coleoptera: Curculionidae), 102.

HAMMON, R. P. (*joint author*), see Stone, L. E. W., 109–11.

HARGREAVES, A. J. and LYON, G. D. Narcissus Basal Rot in Scotland, 200.

HARRIS, PATRICIA A. (*joint author*), see Fletcher, J. T., 49–57.

HEATHCOTE, G. D. (*joint author*), see Way, M. J., 1–7.

HILL, S. A. *Penicillium corymbiferum* on Prepared Dutch Iris Bulbs: Tolerance of Benomyl and Control, 94–5.

HOWARD, H. W. (*joint author*), see Fuller, J. M. 135–8.

HUMPHREYS-JONES, D. R. Leaf and Shoot Death (*Coniothyrium fuckelii* Sacc.) of *Juniperus communis* L. var. *Compressa* Carr., 47–8.

HUMPHREYS-JONES, D. R. Leaf Blotch (*Coniothyrium viburni* Died) of *Viburnum burkwoodii* L., 101.

HUMPHREYS-JONES, D. R. Leaf Spot and Stem Rot (*Pyrenochaeta gentianae*) of *Gentiana septemfida*, 151.

IBRAHIM, A. G. and MADGE, D. S. The Susceptibility of Eighteen Chrysanthemum Cultivars to the Chrysanthemum Leaf Miner, *Phytomyza syngenesiae* (*Hardy*), 103–8.

JENKYN, J. F. and KING, J. E. Observations on the Origins of *Septoria nodorum* Infection of Winter Wheat, 153–60.
JENKYN, J. F. and RAWLINSON, C. J. Effects of Fungicides and Insecticides on Mildew, Viruses and Root Yield of Swedes, 166–74.
JONES, G. ELIS, CATTON, F. W. and BATESON, MARY. Root Galls on Raspberry, 96–7.
JONES, O. W. (*joint author*), see Griffin, M. J., 149–50.

KENNEDY, D. M. (*joint author*), see Montgomerie, Isabel G., 139–43.
KING, J. E. Surveys of Diseases of Winter Wheat in England and Wales, 1970–75, 8–20.
KING, J. E. Surveys of Foliar Diseases of Spring Barley in England and Wales, 1972–75, 21–9.
KING, J. E. (*joint author*), see Jenkyn, J. F., 153–60.

LANE, A. (*joint author*), see Way, M. J., 1–7.
LANE, A. (*joint author*), see Stone, L. E. W., 109–11.
LANE, A. Tomato Leaf Miner on Overwintering Tomatoes in Kent, 150–1.
LIGHT, W. I. ST. G. (*joint author*), see Way, M. J., 1–7.
LOCKE, T. and THORPE, I. G. Author's Correction—Benomyl Tolerance in *Verticillium dahliae* Kleb., 152.
LOGAN, C. (*joint author*), see Copeland, R. B., 175–9.
LYON, G. D. (*joint author*), see Hargreaves, A. J., 200.

MACAULAY, E. D. M. Field Trials with Attractant Traps for Timing Sprays to Control Pea Moth, 179–88.
MADGE, D. S. (*joint author*), see Ibrahim, A. G., 103–8.
MANTLE, P. G. and SHAW, S. A. Case Study of the Aetiology of Ergot Disease of Cereals and Grasses, 121–6.
MONTGOMERIE, ISABEL G. and KENNEDY, D. M. A New Systemic Fungicide to Control Red Core of Strawberry, 139–43.
MUSSA, A. E. A. and RUSSELL, P. E. Seed Treatment with Dichlorophen to Control *Fusarium solani* f. sp. *phaseoli* on *Phaseolus vulgaris* 195–8.

OGUNFOWORA, A. O. Reaction of Barley to Cereal Root-knot Nematode, *Meloidogyne naasi*, 161–6.

POTTER, R. F. (*joint author*), see Stone, L. E. W., 109–11.
POWELL, D. F. The Effects on Narcissus Bulbs of Methyl Bromide Fumigation used to Control Bulb Scale Mite, 79–84.

RAWLINSON, C. J. (*joint author*), see Jenkyn, J. F., 166–74.
RAYNER, J. M. (*joint author*), see Way, M. J., 1–7.
ROBERTS, HELEN (*joint author*), see Southey, J. F., 148.
RUSSELL, P. E. and BROWN, LINDA. *Alternaria alternata* on *Phaseolus vulgaris*, 47.
RUSSELL, P. E. (*joint author*), see Mussa, A. E. A., 195–8.

SAVAGE, M. J. Damage to Cereals by Larvae of *Bibio johannis* (L.) and *Bibio hortulanus* (L.) (Bibionidae, Diptera), 199.
SAWICKI, R. M. (*joint author*), see Devonshire, A. L., 60–2.
SEAL, K. (*joint author*), see Way, M. J. 1–7.
SHAW, S. (*joint author*), see Mantle, P. G., 121–6.
SIMKIN, M. B. (*joint author*), see Griffin, M. J., 147–8.
SIMMONDS, S. P. Pinks (*Dianthus plumarius* L.) Damaged by the Weevil *Hypera arator* (L.), 200.
SOUTHEY, J. F. and ROBERTS, HELEN. New or Unusual Host-plant Records for Plant-parasitic Nematodes, 1974–76, 148.
STACEY, D. L. 'Banker' Plant Production of *Encarsia formosa* Gahan and its Use in the Control of Glasshouse Whitefly on Tomatoes, 63–6.
STEDMAN, O. J. Effect of Paraquat on the Number of Spores of *Rhynchosporium secalis* on Barley Stubble and Volunteers, 112–20.
STONE, A. R. (*joint author*), see Fuller, J. M., 135–8.
STONE, L. E. W., LANE, A., HAMMON, R. P., GOULD, H. J. and POTTER, R. F. Aldicarb-treatment of Year-round Chrysanthemums for Control of Red Spider Mite, *Tetranychus urticae* (Koch), in 1976, 109–11.
STROYAN, H. L. G. *Aphis nerii* B. de F. on Imported Oleanders, 151.
SYKES, G. B. Resistance in the Peach-potato Aphid (*Myzus persicae* (Sulz.)) to Organophosphorus Insecticides in Yorkshire and Lancashire, 91–3.

THORPE, I. G. (*joint author*), see Locke, T., 152.
TRIBE, H. T. (*joint author*), see Ahmed, A. H. M., 75–8.

WAY, M. J., CAMMELL, M. E., ALFORD, D. V., GOULD, H. J., GRAHAM, C. W., LANE, A., LIGHT, W. I. ST. G., RAYNER, J. M., HEATHCOTE, G. D., FLETCHER, K. E. and SEAL, K. Use of Forecasting in Chemical Control of Black Bean Aphid, *Aphis fabae* Scop., on Spring-sown Field Beans, *Vicia faba*, 1–7.
WHITEHEAD, A. G. Vertical Distribution of Potato, Beet and Pea Cyst Nematodes in some Heavily Infested Soils, 85–90.
WHITTLE, A. M. *Cochliobolus sativus* on Barley in Scotland, 67–74.
WILKINS, P. W. and EXLEY, JANET K. Bacterial Wilt of Ryegrass in Britain, 99.

SUBJECT INDEX

Agriolimax caruanae, 100.
Agriolimax reticulatus, 100.
Agrobacterium radiobacter, 96.
Aldicarb:
  for Control of Flea Beetles on Swedes, 168.
  Resistance in Red Spider Mite, 109.
Alternaria alternata, 47.
Aphis acanthi, 3.
Aphis euonymi, 3.
Aphis fabae, 1, 189.
Aphis nerii, 151.
Aphis solanella, 3.
Arion ater, 100.
Arion hortensis, 100.
Arion subfuscus, 100.
Azinphos-methyl:
  for Control of Black Bean Aphid on Spring-sown Field Beans, 192.
  for Control of Pea Moth 179.

Barley:
  Cochliobolus sativus in Scotland, 67.
  Effect of Paraquat on the Number of Spores of *Rhynchosporium secalis* on Stubble and Volunteers, 112.
  Reaction to Cereal Root-knot Nematode, 161.
  Surveys of Foliar Diseases of Spring Barley in England and Wales, 1972–75, 21.
Beans:
  Alternaria alternata on *Phaseolus vulgaris*, 47.
  Seed Treatment with Dichlorophen to Control *Fusarium solani* f. sp. *phaseoli* on *Phaseolus vulgaris*, 195.
Benomyl:
  Effect of Timed Sprays on Yield of Winter Wheat in Relation to *Septoria* Infection Periods, 30.
  Effect on *Fusarium avenaceum* and *F. oxysporum* from Narcissus, 200.
  for Control of Diseases of Tomato, 54.
  for Control of Mildew on Swedes, 167.
  Tolerance in *Penicillium corymbiferum*, 94.
  Tolerance in *Verticillium tricorpus*, 152.
Bibio hortulanus, 199.
Bibio johannis, 199.
Biological Control:
  Glasshouse Whitefly on Tomatoes, 63.
  Glasshouse Whitefly and Red Spider Mite on Tomatoes and Cucumbers in England and Wales, 1975–76, 57.
  White Rot of Onion by *Coniothyrium minitans*, 75.
Bordeaux mixture for Control of Red Core in Strawberry, 140.
Botrytis cinerea, 49.
Brevicoryne brassicae, 169.

Calomel: for Control of White Rot of Onion, 75.
Captafol: Effect of Seed Treatment on the Emergence of Sugar Beet Seedlings, 39.
Captan: for Control of Diseases of Tomato, 54.
Carbaryl: for Eradication of Colorado Beetles, 38.
Carbendazim:
  Effect on Foliar Diseases of Spring Barley, 27.
  Effect on Severity of Diseases of Winter Wheat, 18.
  for Control of Diseases of Tomato, 54.
  for Control of Mildew on Swedes, 167.
Carboxin: for Control of *Septoria nodorum* on Winter Wheat, 127.
Cephalosporium gramineum, 10.
Cereals:
  Case Study of the Aetiology of Ergot Disease, 121.
  Damage by Larvae of *Bibio johannis* and *Bibio hortulanus*, 199.
Chloraniformethan: Effect on Foliar Diseases of Spring Barley, 27.
Chlorquinox: Effect on Foliar Diseases of Spring Barley, 27.
Chrysanthemum:
  Aldicarb-treatment of Year-round Chrysanthemums for Control of Red Spider Mite in 1976, 109.
  Susceptibility of Eighteen Cultivars to the Chrysanthemum Leaf Miner, 103.
Cladosporium sphaerospermum, 63.
Claviceps purpurea, 121.
Cochliobolus sativus, 67.
Colorado Beetle: Beetles Reported in England, Wales and Scotland 1976, 35.
Coniothyrium fuckelii, 47.
Coniothyrium minitans, 75.
Coniothyrium viburni, 101.
Corynebacterium fascians, 96.
Cucumber:
  Biological Control of Glasshouse Whitefly and Red Spider Mite in England and Wales, 1975–76, 57.
  Problems in Crops caused by Slugs, Cuckoo-spit Insect, Mushroom Cecid, Hairy Fungus Beetle and House Mouse, 100.
Cufraneb: for Control of Red Core in Strawberry, 140.
Cyclamen: Leaf Mining of Hardy Cyclamen by *Orthochaetes setiger*, 102.
Cycloheximide: for Control of Red Core in Strawberry, 140.
Cydia nigricana, 179.

Dazomet: for Control of Root Rot of Tomato, 53.
Demeton-S-methyl:
  for Control of Aphids on Swedes, 168.
  for Control of Black Bean Aphid on Spring-sown Field Beans, 192.
  Resistance in Peach-potato Aphid, 61.

Demeton-S-methyl sulphone:
for Control of Black Bean Aphid on Spring-sown Field Beans, 192.
for Control of Pea Moth, 179.
Dichlofluanid: for Control of Diseases of Tomato, 54.
Dichlorophen: for Control of *Fusarium solani* f. sp. *phaseoli* on *Phaseolus vulgaris*, 195.
Didymella lycopersici, 49.
Dimethoate:
for Control of Black Bean Aphid on Spring-sown Field Beans, 192.
for Control of Tomato Leaf Miner, 150.
Resistance in Peach-potato Aphid, 61.
Disease Assessment:
Foliar Diseases on Winter Wheat, 154.
Mildew and Viruses on Swedes, 168.
Disorder: Chimera, 53.
Disulfoton: for Control of Black Bean Aphid on Spring-sown Field Beans, 192.
Dithiocarbamate:
Effect on Foliar Diseases of Spring Barley, 27.
Effect on Severity of Diseases of Winter Wheat, 18.
DPX 3217: for Control of Red Core in Strawberry, 140.
Drechslera teres, 23.

Erwinia carotovora, 175.
Erysiphe cruciferarum, 166.
Erysiphe graminis, 9, 22, 128.
Ethirimol: Effect on Foliar Diseases of Spring Barley, 27.
Ethyl mercuric chloride (EMC): for Control of *Septoria nodorum* on Winter Wheat, 128.
Ethyl mercuric phosphate: Effect of Seed Treatment on Emergence of Sugar Beet Seedlings, 39.

Fenaminosulf: for Control of Red Core in Strawberry, 140.
Field Bean:
Incidence of *Aphis fabae* on Spring-sown Field Beans in South-east England and Efficiency of Control Measures, 189.
Use of Forecasting in Chemical Control of Black Bean Aphid on Spring-sown Field Beans, 1.
Forecasting:
Black Bean Aphid on Spring-sown Field Beans, 1.
Observations on Black Bean Aphid on Spring-sown Field Beans compared with Forecasts, 190.
Formothion:
for Control of Black Bean Aphid on Spring-sown Field Beans, 192.
Resistance in Peach-potato Aphid, 61.
Fulvia fulva, 49.
Fusarium avenaceum, 200.
Fusarium oxysporum, 54, 200.
Fusarium solani f. sp. *phaseoli*, 195.
Fusarium spp., 10, 128, 157.

Gentian: Leaf Spot and Stem Rot of *Gentiana septemfida*, 151.
Globodera pallida, 85, 135.
Globodera rostochiensis, 85.
'Glycophene': for Control of Red Core in Strawberry, 140.
Grasses: Case Study of the Aetiology of Ergot Disease, 121.
Guazatine: for Control of *Septoria nodorum* on Winter Wheat, 127.

Helminthosporium solani, 175.
Heterodera schachtii, 85.
Heteropeza pygmaea, 100.
Hypera arator, 200.

Iodophor: Effect on Potato Disease Incidence, 175.
Iris:
Penicillium corymbiferum on Prepared Dutch Iris Bulbs, 94.
Tolerance of Benomyl and Control, 94.

Juniper: Leaf and Shoot Death of *Juniperus communis*, 47.

Lettuce: *Mycocentrospora acerina* on Outdoor Lettuce, 147.
Liriomyza bryoniae, 150
Losses caused by:
Diseases of Winter Wheat, 18
Foliar Diseases of Spring Barley, 28.
LS 73 1038: for Control of Red Core in Strawberry, 140.

Maneb:
Effect of Seed Treatment on Emergence of Sugar Beet Seedlings, 39.
Effect of Timed Sprays on Yield of Winter Wheat in Relation to *Septoria* Infection Periods, 30.
for Control of *Septoria nodorum* on Winter Wheat, 127.
for Control of Mildew on Swedes, 167.
MBC fungicides: for Control of Diseases of Tomato, 54.
Meloidogyne naasi, 161.
Menazon: for Control of Black Bean Aphid on Spring-sown Field Beans, 192.
Mercury: Seed Treatment of Barley for Control of *Cochliobolus sativus*, 67.
Metham-sodium: for Eradication of Colorado Beetles, 38.
Methyl bromide:
Effects on Narcissus Bulbs of Fumigation used to control Bulb Scale Mite, 79.
for Control of Root Rot of Tomato, 53.
Milax budapestensis, 100.
Milax gagates, 100.
Mus musculus, 101.
Mycocentrospore acerina, 147.
Myzus persicae, 60, 91, 169.

Narcissus:
Basal Rot in Scotland, 200.
Effects on Bulbs of Methyl Bromide Fumigation used to Control Bulb Scale Mite, 79.
Nematodes:
New or Unusual Host-plant Records for Plant-parasitic Nematodes, 1974–76, 148.
New Pathotype of the Potato Cyst Nematode *Globodera pallida*, 135.
Reaction of Barley to Cereal Root-knot Nematode, 161.
Vertical Distribution of Potato, Beet and Pea Cyst Nematodes in some Heavily Infested Soils, 85.

Oleander: *Aphis nerii* on Imported Oleanders, 151.
Onion:
Biological Control of White Rot by *Coniothyrium minitans*, 75.
Phytophthora porri on Autumn-sown Salad Onions, 149.
Organomercury compounds:
Effect of Seed Treatment on Winter Wheat, 153.
for Control of *Septoria nodorum* on Winter Wheat, 127.
Organophosphorus Insecticides: Resistance in Peach-potato Aphid, 91.
Orthiochaetes setiger, 102.

Paraquat: Effect on the Number of Spores of *Rhynchosporium secalis* on Barley Stubble and Volunteers, 112.
Parasitic Insects:
Encarsia formosa, 57–63.
Encarsia formosa eliminated by Dimethoate, 150.
Pea: Field Trials with Attractant Traps for Timing Sprays to Control Pea Moth, 179.
Penicillium corymbiferum, 94.
Penicillium spp., 157.
Pest Assessment: Aphids on Swedes, 167.
Phenyl mercuric acetate (PMA): for Control of *Septoria nodorum* on Winter Wheat, 128.
Philaenus spumarius, 100.
Phoma betae, 39.
Phoma exigua, 175.
Phorate: for control of Black Bean Aphid on Spring-sown Field Beans, 192.
Phosphamidon:
for Control of Black Bean Aphid on Spring-sown Field Beans, 192.
for Eradication of Colorado Beetles, 38.
Phyllotreta spp., 171.
Phytomyza syngenesiae, 103.
Phytophthora fragariae, 139.
Phytophthora porri, 149.
Phytotoxicity:
Calomel on Onion Seed, 75.
Methyl Bromide on Narcissus Bulbs, 79.
Pinks: Damage by the Weevil *Hypera arator*, 200.

Pirimicarb:
for Control of Aphids on Swedes, 167.
for Control of Black Bean Aphid on Spring-sown Field Beans, 192.
Resistance in Peach-potato Aphid, 61.
Pleospora bjoerlingii, 39.
Polyscytalum pustulans, 175.
Potato:
New Pathotype of the Potato Cyst Nematode *Globodera pallida*, 135.
Observations on Disease Incidence Following Soil Application of a Granular Fungicide-Bactericide at Planting, 175.
Peach-potato Aphid Resistant to Organophosphorus and Carbamate Insecticides in Scotland, 60.
Predators: *Phytoseiulus persimilis*, 58.
Pseudocercosporella herpotrichoides, 10, 128.
Puccinia hordei, 22.
Puccinia recondita, 10.
Puccinia striiformis, 10, 22.
Pyrazophos: for Control of Mildew on Swedes, 167.
Pyrenochaeta gentianae, 151.
Pyrenochaeta lycopersici, 56.
Pyroxychlor: for Control of Red Core in Strawberry, 140.

Quinacetol sulphate: for Control of *Septoria nodorum* on Winter Wheat, 127.

Raspberry: Root Galls, 96.
Resistance to Pesticides:
Peach-potato Aphid to Carbamate Insecticides, 60.
Peach-potato Aphid to Organophosphorus Insecticides, 60.
Peach-potato Aphid to Organophosphorus Insecticides in Yorkshire and Lancashire, 91.
Red Spider Mite to Aldicarb, 109.
Rhizoctonia solani, 10, 98, 128, 176.
Rhynchosporium secalis, 22, 112.
Ryegrass: Bacterial Wilt in Britain, 99.

Sclerotium cepivorum, 75.
Selenophoma avenae f. sp. *triticea*, 10.
Selenophoma donacis, 10, 23.
Septoria spp., 22.
Septoria nodorum, 10, 30, 127, 153.
Septoria tritici, 10, 30.
Spongospora subterranea, 176.
Steam: for Control of Root Rot of Tomato, 53.
Steneotarsonemus laticeps, 79.
Strawberry: New Systemic Fungicide to Control Red Core, 139.
Streptomyces scabies, 176.
Sugar Beet: Effect of Non-mercurial Fungicidal Seed Treatments on Emergence of Seedlings, 39.

Surveys:
Biological Control on Tomatoes and Cucumbers in England and Wales, 1975–76, 57.
Diseases of Glasshouse Tomato Crops in Yorkshire and Lancashire in 1974 and 1975, 49.
Diseases of Winter Wheat in England and Wales, 1970–75, 8.
Foliar Diseases of Spring Barley in England and Wales, 1972–75, 21.
Incidence of *Aphis fabae* on Spring-sown Field Beans in South-east England, 189.
Resistance in Peach-potato Aphid to Organophosphorus Insecticides in Yorkshire and Lancashire, 91.
Swede: Effects of Fungicides and Insecticides on Mildew, Viruses and Root Yield, 166.

Tetranychus urticae, 57, 109.
Thiabendazole:
for Control of *Septoria nodorum* on Winter Wheat, 127.
Effect on Potato Disease Incidence, 175.
Thiometon: Resistance in Peach-potato Aphid, 61.
Thiophanate methyl: Effect on Foliar Diseases of Spring Barley, 27.
Tolerance to Fungicides:
Botrytis cinerea to Benomyl, 49.
Penicillium corymbiferum to Benomyl, 94.
Verticillium tricorpus to Benomyl, 152.
Tomato:
'Banker' Plant Production of *Encarsia formosa* and its Use in the Control of Glasshouse Whitefly, 63.
Benomyl Tolerance in *Verticillium tricorpus* 152.
Biological Control of Glasshouse Whitefly and Red Spider Mite in England and Wales, 1975–76, 57.
Survey of Diseases of Glasshouse Crops in Yorkshire and Lancashire in 1974 and 1975, 49.
Tomato Leaf Miner on Overwintering Tomatoes in Kent, 150.
Traps and Trapping: Field Trials with Attractant Traps for Timing Sprays to Control Pea Moth, 179.
Triadimefon: for Control of Red Core in Strawberry, 140.
Trialeurodes vaporariorum, 57, 63.
Tridemorph:
Effect on Foliar Diseases of Spring Barley, 27.
Effect on Severity of Diseases of Winter Wheat, 18.
for Control of Mildew on Swedes, 167.
Triforine: Effect on Foliar Diseases of Spring Barley, 27.
2-(thiocyanomethylthio) benzothiazole:
Effect of Seed Treatment on Emergence of Sugar Beet Seedlings, 39.
Typhaea stercorea, 100.

Verticillium albo-atrum, 54.
Verticillium dahliae, 54, 152.
Verticillium tricorpus, 54.
Viburnum: Leaf Blotch of *Viburnum burkwoodii*, 101.
Virus Diseases:
Barley Yellow Dwarf Virus (BYDV), 9, 22.
Cauliflower Mosaic Virus (CaMV) in Swedes, 170.
Effects of Fungicides and Insecticides Applied to Swedes, 166.
Tobacco Mosaic Virus (TMV), 49.
Tomato Mosaic, 49.
Turnip Crinkle in Swedes, 170.
Turnip Mosaic Virus (TuMV) in Swedes, 170.

Weather in England and Wales:
Spring and Summer, 1976, 45.
Autumn and Winter 1976–77, 145.
Wheat:
Effect of Timed Fungicide Sprays on Yield of Winter Wheat in Relation to *Septoria* Infection Periods, 30.
Effects of Seed Treatments on *Septoria nodorum* Infection of Winter Wheat, 127.
Observations on the Origins of *Septoria nodorum* Infection of Winter Wheat, 153.
Sclerotia of *Rhizoctonia solani* in Stems with Sharp Eyespot, 98.
Surveys of Diseases of Winter Wheat in England and Wales, 1970–75, 8.

Xanthomonas graminis, 99.

Zineb: for Control of Diseases of Tomato, 54.

Dd 497327 K13 8/78 Ed (15154)